



Walking facts and figures 1: The benefits of walking

Health

‘Walking is the nearest activity to perfect exercise.’ (Morris and Hardman 1997)

Regular physical activity is essential for good health, but most of us don’t do enough of it.

- The Chief Medical Officer recommends at least 30 minutes of moderate physical activity on five days a week for adults, and at least 60 minutes every day for children. To prevent obesity, 45-60 minutes are needed in most cases (Department of Health 2004).
- Routine regular moderate activity may be more beneficial than short bursts of more intense activity (Westerterp 2001).
- Activity can be taken in a single session or in several shorter bouts (Department of Health 2004). Ten minutes three times a day is as beneficial as 30 minutes once a day (Murphy and Hardman 1998).
- Only around a third of adults and two thirds of children in Britain achieve the minimum recommended levels.

1.9million deaths each year (World Health Organisation 2002).

Inactivity is a key factor in the dramatic growth of obesity.

- 61% of English adults (65% of men and 56% of women) and 30% of children are overweight or obese. 24% of adults and 17% of children are clinically obese (National Statistics 2008c).
Overweight and obesity are defined by the World Health Organisation according to body mass index (BMI), calculated by dividing a person’s weight in kilograms by the square of their height in metres. A BMI of 25 or more is overweight, while 30 or more is obese (World Health Organisation 2006).
- If current trends continue, levels of obesity will rise to 60% of men, 50% of women and 25% of children by 2050, with almost nine out of ten adults overweight or obese (Foresight 2007).
- Overweight and obesity significantly increase the risk of a range of serious illnesses. People with a BMI over 35 are 20 times more likely to develop Type 2 diabetes compared to those with a BMI of 18-25. The risk of developing Coronary Artery Disease increases 3.6 times with each unit increase of BMI, while 85% of high blood pressure is associated with BMI over 25. Excess weight is also linked to cancer and fatty liver disease (HM Government 2008).
- England has a greater rate of increase in obesity than most comparable European countries (Foresight 2007).
- Although obesity is popularly associated with unhealthy eating, there is some evidence that average calorie intake in Britain has decreased in recent decades (for example National Statistics 2003), suggesting low activity levels may be the dominant factor in the rise in obesity (Prentice and Jebb 1995).

Percentage meeting physical activity recommendations

	Men	Women	Boys	Girls
England	40% ^a	28% ^a	72% ^b	63% ^b
Scotland	42% ^c		74% ^d	63% ^d
Wales ^e	36%	23%	70%	60%

Sources:

- a - National Statistics / The Information Centre 2008a
- b - National Statistics / The Information Centre 2008b
- c - NHS Health Scotland 2006
- d - Scottish Executive 2005
- e - National Public Health Service for Wales 2007

- Worldwide, physical inactivity is now one of the ten leading global causes of death and serious illness, responsible for

Walking is healthy physical activity.

- Moderate physical activity includes walking as well as cycling, swimming, gardening and sport (Department of Health 2004).
- All walking is beneficial, but for the greatest benefits to heart, lungs and blood pressure, brisk is best. You should be breathing a little faster, feeling a little warmer and can feel your heart beating a little faster, but you still feel comfortable and are able to talk (Walking the way to Health 2009, BHF 2009).
- Walking 1 mile/1.6km in 20 minutes can burn up at least 100kcal/420kJ of energy, as much as swimming for 10 minutes, playing football for 12 minutes or doing aerobics for 16 minutes. Walking 2 miles/3.2km a day, four times a week, can help reduce weight by 0.5kg/1 pound every month (Morris and Hardman 1997).
- Walking a mile burns around the same amount of calories as running a mile, although of course it takes longer (McArdle, Katch & Katch 1986).

Regular brisk walking will

- Improve performance of the heart, lungs and circulation.
- Lower blood pressure.
- Reduce the risk of coronary heart disease and strokes – inactive and unfit people have double the risk of dying from CHD.

Walking regularly at any speed will

- Help manage weight.
- Reduce the risk of Type 2 diabetes – active people have between a third and a half less chance of developing this than inactive people – and help control the condition once it is established.
- Reduce the risk of certain cancers – active people have 40-50% lower risk of developing colon cancer than inactive people, and lower risks of developing breast and lung cancer.
- Improve flexibility and strength of joints, muscles and bones, and reduce the risk of and help manage osteoporosis.
- Increase “good” cholesterol.
- Boost the immune system.

(References for previous two sections: Bird and Reynolds 2002, Blood Pressure Association 2008, British Heart Foundation 2009, Department of Health 2004, Fleshner et al 2004, Shephard 1997, Walking the Way to Health 2009)

Walking improves mental health.

- Regular walking improves mood, reduces anxiety, aids sleep and improves self-image (Department of Health 2004, Mind 2008, Walking the Way to Health 2009).
- Active people have a reduced risk of suffering clinical depression (DH 2004).
- Regular physical activity is at least as effective as antidepressant drugs in treating mild and moderate depression (Mental Health Foundation 2005).
- Walking in a group is a sociable activity that can help improve mental health and overcome feelings of isolation, a benefit that is highly valued by participants in group walks (Dawson et al 2006).
- Spending time in the outdoors and in contact with the natural environment can have a positive effect on mental health (Pretty et al 2005, Seymour 2003).

For most people, walking is the easiest way to meet physical activity recommendations

Unlike many other forms of activity...

...almost everyone can get started easily and at minimal expense...

- Walking is free and requires no special equipment, training or gym or club memberships.
- Almost everyone is capable of walking. Only 4% of people either need help when walking outside the home or are unable to walk on their own at all (Department for Transport 2003).
- Walking is safe and low-impact, with a low risk of injuries and accidents.
- You can walk almost anywhere and at any time.
- You can start slowly and easily and build up gradually (Ramblers 2007).

...and it's one of the easiest activities to fit into your everyday life.

- You can walk from your doorstep at a time that suits you.
- You can use walking for everyday short journeys, enjoying healthy activity at the same time as getting from A to B.
- You don't need to concentrate on the walking itself, leaving you free to enjoy your surroundings, chat to friends and family or just relax.
- You can enjoy a variety of surroundings as you walk in different places and different seasons (Ramblers 2007).
- Increases in gym membership have done little to halt the decline in activity levels. Many experts now recognise that gym-based exercise is unsustainable for many people, and since 2007 gym memberships have been in decline (Bee 2008, Deloitte 2006, Smith Maguire 2008).

The accessibility of walking is particularly important for those most at risk from low activity levels.

“Brisk walking has the greatest potential for increasing the overall activity levels of a sedentary population...[and] is most likely to be adopted by a range of ages, socioeconomic and ethnic groups” (Hillsdon and Thorogood 1996).

- The benefits are proportionately greater if the most inactive become moderately active, compared to moderately active people becoming more active: the “dose-response effect” (HM Government 2009).
- Low levels of physical activity are associated with low levels of household income (National Statistics 2008a).
- Membership and admission costs are a significant barrier to participation in physical activity: gyms are most often used by the better-off (Scottish Executive 2006; Smith Maguire 2008).

Sustainable transport

Walking is the most natural and inclusive means of transport.

- Walking is free.
- Walking doesn't involve the use of vehicles, machinery, fuel or special equipment that would otherwise need to be manufactured, transported and disposed of safely.
- Walkers can stop in the shortest distance and pose much less of a danger from accidents and collisions than heavier and faster modes.
- Walkers don't need training.
- If we all swapped one car journey a week for walking instead, car traffic levels would reduce by at least 10% (Sustrans 2009).

Walking doesn't pollute.

- Walking doesn't produce excess carbon dioxide. One person switching five journeys of under 2km a week from the car to walking would reduce their carbon footprint by 86kg a year (Potter 2004).
- Walking doesn't produce noxious fumes. People in cars typically face pollution levels two to three times higher than those faced by walkers (Environmental Transport Association 1997).
- Walking doesn't cause noise pollution.

Walking is an efficient use of public space

- Walkers rarely cause congestion.
- Three times as many people can move in the same space by walking as on a bus and almost 20 times as many as in a car (London Analytics, cited in Bell 2007).
- Meanwhile 590 sq km/228 sq miles of land in the UK, an area twice the size of Birmingham, is devoted to vehicle parking while roads occupy 2,848 sq km/1,100 sq miles, equivalent to more than the whole of Leicestershire (CPRE 1995).

Improving walking conditions improves access to public transport.

- Walking is the main means of accessing public transport (Department for Transport 2003).
- Better pedestrian links to transport interchanges and more walkers visible on the streets help overcome safety encourage people to regard public transport as a viable alternative to the private car (Transport for London 2004).
- Combining improvements to public transport such as light rail with better walking facilities can improve towns and cities and increase takeup of both modes (Hass-Klau 2003).

Economic benefits

Walkers in the countryside contribute to the rural economy.

- Walkers in the English countryside spend around £6.14billion a year, generating income in excess of £2billion and supporting up to 245,000 full time jobs (Christie and Matthews 2003).
- People living in Scotland make a total of about 300million walking trips for pleasure to the coast and countryside every year, spending an average of £6.21 per party, a total of around £900million (NOF System Three Scotland 2000). Walking also generates an estimated £438million from visitors to Scotland (Transport for Leisure 2001).
- Walking tourism in rural and coastal Wales is estimated to contribute over £550million to the economy (Wales Tourist Board 2005).
- 62million leisure trips are made to the English coast every year, worth £2.3billion (Natural England 2006).

Popular walking routes are major assets to the tourist industry.

- Britain's longest National Trail, the South West Coast Path, generates £307million a year for the economy of the region, supporting over 7,500 jobs. 27.6% of all visitors come solely to walk the trail,

spending £136million a year. Local residents take 23million walks along the route annually, spending £116million. The annual cost of maintaining the path is around £500,000 (Southwest Tourism/University of Exeter 2003, South West Coast Path Partnership 2007).

- Hadrian's Wall Path, a new national trail opened in 2003 with significant lengths of new access, has seen user numbers double, with around £5million spent locally by visitors on the trail (Natural England 2007).
- Accommodation providers on the Pembrokeshire Coast Path National Trail in Wales say almost 40% of their guests come to walk the trail and almost half of providers report the trail is "very important to the profitability" of their business (Tourism Company 2006).
- The West Highland Way, Scotland's most popular official long distance route, attracts 75,000 visitors a year, generating £3.5million and supporting around 200 local businesses (Wood-Gee 2008).
- The proposed English coastal path will generate £2,572million per year for the local economies and support 100,000 full time jobs (Christie and Matthews 2006).

Walking brings economic benefits to town and city centres.

Sometimes contrary to local traders' expectations, improvements for walkers in town and city centres can lead to higher levels of business, since people on foot tend to spend more time browsing and enjoying food and drink.

- 44% of shoppers arrive on foot in London town centres (Transport for London 2004). Creating good access on foot to shops and services has played a vital role in many regeneration schemes, for example in Birmingham (Transport 2000 2003).
- London's West End VIP (Very Important Pedestrian) Days in December and May, when Oxford and Regent Streets are closed to traffic, have been a huge success, increasing footfall by up to 40%.

Stores now welcome the days, some achieving their best sales figures of the year (New West End Company 2008).

- Applying the Government's own methods of assessing the economic benefits of transport schemes to local walking and cycling routes gives benefit to cost ratios of 20:1, considerably higher than rail and road schemes which typically have ratios of 3:1 (Sustrans 2006).

More people walking could bring vast savings to the nation's health bill.

- Physical inactivity currently costs the NHS in England between £1 billion and £1.8 billion a year. Costs to the wider economy are conservatively estimated at £5.5 billion in sickness absence and £1 billion in premature deaths – a total of £8.3 billion (Allender et al 2007, HM Government 2009).
- Health services in each of the 152 Primary Care Trust areas in England spend an average of £5 million a year on dealing with the consequences of physical inactivity (HMG 2009).
- Direct costs to the NHS of obesity alone are currently around £4.2 billion a year, with an estimated cost to the wider economy (for example through sickness absence) of £16 billion. If current trends continue, this may rise to £50 billion by 2050 (Foresight 2007).
- Switching 20% of car commuter trips to walking or cycling could be worth £2.8 billion a year to the Scottish economy. A 40% switch could yield up to £5.5 billion (Warren 2008).

References

Steven Allender, Charlie Foster, Peter Scarborough and Mike Rayner 2007, 'The burden of physical activity-related ill health in the UK' in *Journal of Epidemiology and Community Health* 61

Adrian Bell 2007, 'London: Building a Business Case for Walking', presentation to walk21 Toronto 2007, www.walk21.org

Dr William Bird and Veronica Reynolds 2002, *Walking for Health*, Carroll & Brown

Blood Pressure Association 2008, *Healthy Lifestyle and Blood Pressure – Pressure Points No 3*

British Heart Foundation 2009, *Physical Activity and Your Heart*

Social benefits

Walking is sociable, improving our sense of community and helping tackle crime and the fear of crime – also good for our mental health.

- When walking it's easy to stop, chat or simply say hello (Department for Transport 2004).
- A classic US study found that residents of streets with light traffic typically had three more friends and twice as many acquaintances as those on streets with heavy traffic (Appleyard et al 1981). A similar study in Bristol found residents of heavy streets had a quarter the number of local friends and half the number of acquaintances compared with those on light streets, and also viewed their "home territory" as much reduced (Hart 2007)
- Measures to increase walking such as slower traffic speeds help local residents take ownership of their streets and increase surveillance that deters crime – the "eyes on the street" effect (Pedestrian and Bicycle Information Centre 2007)
- Improving the walkability of the environment also improves its liveability, resulting in surroundings at human scale that facilitate not only walking but social interaction, play, relaxation, discovery and enjoyment.

Peta Bee 2008, *Integrated Exercise: How everyday activity will get you fit*, Kyle Cathie

Dr Mike Christie and Jon Matthews 2003, *The Economic and Social Value of Walking in Rural England*, report for the Ramblers' Association

Dr Mike Christie and Jon Matthews 2006, *The Economic and Social Value of Coastal Walking in England*, report for the Ramblers' Association

CPRE 1995, *Parking Mad*

Jill Dawson, Irene Boller, Charlie Foster and Melvyn Hillsdon 2006, *Evaluation of changes to physical activity amongst people who attend the Walking the way to Health Initiative (WHI): Prospective survey*, Countryside Agency

Walking facts and figures 1: The benefits of walking

- Deloitte 2006, *HealthClubBenchmark Survey*
- Department for Transport 2003, *Walking in GB* (Personal Travel Factsheet 4)
- Department for Transport 2004, *Walking and cycling: an action plan*
- Department of Health 2004, *At least five a week: evidence on the impact of physical activity and its relationship to health. A report by the Chief Medical Officer*
- Environmental Transport Association 1997, *Road user exposure to air pollution: a literature review*, DETR
- Foresight 2007, *Tackling Obesities: Future Choices – Project Report*, Government Office for Science
- Joshua Hart 2007, 'Driven to Excess: Impacts of motor vehicle traffic on residential quality of life of Bristol, UK', Masters Dissertation at University of the West of England, tinyurl.com/67k72c
- Carmen Hass-Klau 2003, 'Walking and its relationship to public transport' in Rodney Tolley (ed), *Sustainable transport: Planning for walking and cycling in urban environments*, Woodhead
- Melvyn Hillsdon and Margaret Thorogood 1996, 'A systematic review of physical activity promotion strategies' in *British Journal of Sports Medicine* 30(2)
- HM Government 2008, *Healthy Weight, Healthy Lives: A cross-government strategy for England*
- HM Government 2009, *be active be healthy: A plan for getting the nation moving*
- William D McArdle, Frank I Katch, Victor L Katch (1986), *Exercise Physiology: Energy, Nutrition and Human Performance*, 2nd edition
- Mental Health Foundation 2005, *Up and running: Exercise therapy and the treatment of mild or moderate depression in primary care*
- Mind 2008, *The Mind guide to physical activity*, revised edition
- National Public Health Service for Wales 2007, *Health Needs Assessment 2006: Physical Activity (version 2a)*
- National Statistics 2003, *The National Diet & Nutrition Survey: adults aged 19 to 64 years. Volume 2: Energy, protein, carbohydrate, fat and alcohol intake*
- National Statistics / Department of Transport 2007, *Walking – Personal Travel Factsheet*
- National Statistics / The Information Centre 2008a, *Health Survey for England 2006: Cardiovascular disease and risk factors, Summary of key findings*
- National Statistics / The Information Centre 2008b, *Health Survey for England 2007: Healthy lifestyles: knowledge, attitudes and behaviour, Summary of key findings*
- National Statistics / The Information Centre 2008c, *Health Survey for England 2007: Latest trends*
- Natural England 2006, *England Leisure Visits: Report of the 2005 Survey*
- Natural England 2007, *Hadrian's Wall Path National Trail Economic Impact Study & Trail User Analysis 2003 - 2007*
- New West End Company 2009, 'Over 1.5million shoppers celebrate a traffic-free day in London's West End', press release at www.newwestend.com
- NHS Health Scotland 2006, *Health Education Population Survey: Update from 2005 survey*
- NOF System Three Scotland 2000, *Survey of Walking*, report for Scottish Natural Heritage
- Jerry Morris and Adrienne Hardman 1997, 'Walking to health' in *Sports Medicine* 23
- Pedestrian and Bicycle Information Centre 2007, 'Traffic calming and crime prevention' at www.walkinginfo.org
- Stephen Potter 2004, 'Transport Energy and Emissions: Urban Public Transport,' in David Hensher and Kenneth Button, *Handbook of Transport and the Environment, Volume 4*, Pergamon/Elsevier
- Andrew M Prentice and Susan A Jebb 1995, 'Obesity in Britain: gluttony or sloth?' in *BMJ* 311
- Jules Pretty, Murray Griffin, Jo Peacock, Rachel Hine, Martin Sellens and Nigel South 2005, *A countryside for Health and Well-Being: The Physical and Mental Health Benefits of Green Exercise*, Countryside Recreation Network
- Ramblers 2007, *Get Walking Keep Walking: Free exercise from your doorstep*
- Scottish Executive 2005, *The Scottish Health Survey 2003: Summary of Key Findings*
- Scottish Executive 2006, *Sport, Exercise and Physical Activity: Public Participation, Barriers and Attitudes*
- Linda Seymour 2003, *Nature and psychological well-being*, English Nature research report 533
- Roy J Shephard 1997, *Physical Activity and the Immune Response*, Cooper Publishing
- Jennifer Smith Maguire 2008, *Fit for consumption: Sociology and the business of fitness*, Routledge
- South West Coast Path Partnership 2007, *South West Coast Path National Trail: A framework for action 2007-2012*
- Southwest Tourism/University of Exeter 2003, *South West Coast Path*, research for Countryside Agency
- Sustrans 2006, *Economic appraisal of local walking and cycling routes*
- Sustrans 2009, *Why walk? Step your way to a happy, healthy lifestyle*
- Tourism Company 2006, *The Benefits to Businesses of National Trails in Wales*, Countryside Council for Wales
- Transport 2000 Trust Good Practice Unit/ Department for Transport 2003, *Walking – the Way Ahead: Report from the national seminar series*
- Transport for Leisure Ltd and R Smith 2001, *Transport, tourism and the environment in Scotland*, report for Scottish Natural Heritage
- Transport for London 2004, *Making London a Walkable City: The Walking Plan for London*
- Wales Tourist Board 2005, *Best Foot Forward – a walking tourism strategy for Wales*
- Walking the Way to Health 2009, *Walk more...feel the difference*, Natural England
- Jolin Warren 2008, *Towards a Healthier Economy: Why investing in sustainable transport makes economic sense*, Transform Scotland Trust
- Klaas Westerterp 2001, 'Pattern and intensity of physical activity' in *Nature* 410
- Vyv Wood-Gee 2008, *Long distance recreational routes: Commissioned Report No 274*, Scottish Natural Heritage
- World Health Organisation 2002, *The World Health Report 2002 -- Reducing Risks, Promoting Healthy Life*
- World Health Organisation 2006, *Fact sheet No 311: Obesity and overweight*

Compiled and published by the Ramblers

2nd Floor, 89 Albert Embankment, London SE1 7TW, GB

T: 020 7339 8500

www.ramblers.org.uk